

coaching for LIFE!



Suggested Resources for Parents and Professionals Trauma Informed Program and Clinical Development Attachment Focused Parenting and Clinical Interventions

:

Top Picks for Parents and Professionals:

Creating Sanctuary: Sandra Bloom

Neurosequential Healing: Bruce Perry

The Boy Who Was Raised as a Dog: Bruce Perry

Wounded Children, Healing Homes: Jayne Schooler

The Primal Wound: Nancy Verrier

The Out of Sync Child: Carol Kranowitz

Attachment, Trauma and Healing: Levy/Orleans

Parenting from the Inside Out: Dan Siegel

Peace, Love and Healing: Bernie Siegel

Make a Difference with the Power of Connection: Mary Reynolds

Allen, L. (1998, October): Deadly restraint. *Hartford Courant*.

Alliance to Prevent Restraint, Aversive Intervention, and Seclusion (APRAIS) (2005): In the name of treatment: A parent's guide to protecting your child from the use of restraint, aversive interventions, and seclusion. Baltimore: TASH.

American Humane Association, Children's Division (2000): 1999 Family Group Decision Making National Roundtable International Conference, Summary of Proceedings, Seattle, Washington. Englewood, CO: American Humane Association.

American Psychiatric Association (1994): Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV): Washington, DC: American Psychiatric Association.

American Psychiatric Association (2004): Practice guidelines for the treatment of patients with Acute Stress and Posttraumatic Stress Disorder. *American Journal of Psychiatry, Supplement, 161* (11).

Anderson, E. (1999): Code of the street: Decency, violence, and the moral life of the inner city. New York: Norton.

Bass, E. and Davis, L. (1988): The courage to heal: A guide for women survivors of child sexual abuse. New York: Perennial Library. 69

Benjamin, M. and Isaacs-Shockley, M. (1996): Culturally competent services approaches. In Stroul, B. (editor): Children's mental health: Creating systems of care in a changing society. Baltimore: Brookes Publishing Company.

Big Brothers Big Sisters (BBBS) (1998): Blueprints for Violence Prevention Model Program Website: <http://www.colorado.edu/cspv/blueprints/model/programs/BBBS.html>.

Bloom, S. (2003a): The Sanctuary Model: A trauma-informed systems approach to the residential treatment of children. In *Residential Group Care Quarterly*, 4 (2). Washington DC: Child Welfare League of America, pp. 1, 4 -5.

Bloom, S., Bennington-Davis, M., Farragher, B., McCorkle, D., Nice-Martini, K., Wellbank, K. (2003b): Multiple opportunities for creating Sanctuary. *Psychiatric Quarterly*, 74 (2), 173-190.

Bryant, R. (2003): Acute stress reactions: Can biological responses predict Posttraumatic Stress Disorder? In *CNS Spectrums: The International Journal of Neuropsychiatric Medicine*, 8 (9), 668-674.

Burns, B. and Hoagwood, K. (2002): Community treatment for youth: Evidence-based interventions for severe emotional and behavioral disorders. New York: Oxford University Press.

Cahill, S., and Pontoski, K. (2005): Post-traumatic stress disorder *and* acute stress disorder. *Psychiatry*, 2 (4), pp. 14-25.

Canada, G. (1998): Reaching up for manhood: Transforming the lives of boys in America. Boston: Beacon Press.

Canada, G. (1995): Fist, stick, knife, gun. Boston: Beacon Press.

Caporino, N., Murray, L., and Jensen, P. (2003): The impact of different traumatic experiences in childhood and adolescence. *Report on Emotional and Behavioral Disorder in Youth*, 3 (3), 63-64, 73-78.

Centers for Disease Control and Prevention, Department of Health and Human Services (2005): Adverse Childhood Experiences Study, www.cdc.gov/NCCDPHP/ACE/findings.htm.

Chapman, J. and Ford, J. (2005): Trauma exposure, post-traumatic stress, and suicide: Risk in juvenile detainees, www.NCTSNet.org.

Child Welfare League of America (2004): CWLA best practice guidelines: Behavior support and intervention training. Washington DC: Child Welfare League of America.

Child Welfare League of America (2004): Achieving better outcomes for children and families: Reducing restraint and seclusion. Washington DC: Child Welfare League of America. 70

Coatsworth, J. D. and Duncan, L. (2003): Fostering resilience: A strengths-based approach to mental health – a CASSP discussion paper. Harrisburg: Pennsylvania CASSP Training and Technical Assistance Institute.

Cohen, J., Deblinger, E., Mannarino, A., Steer, R. (2004a): A multisite, randomized controlled trial for children with sexual abuse-related PTSD symptoms. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43 (4), 393-402.

Cohen J., Mannarino, A., Knudsen, K. (2004b): Treating childhood traumatic grief: A pilot study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43 (10), 1225-1233.

Conley, J. and Huckshorn, K. (2004): The NTAC Training Curriculum for the reduction of seclusion and restraint. *Evaluation FastFacts from the Evaluation Center at HSRI (Human Services Research Institute)*, 3 (1), 1-3.

Curie, C.: (2005): SAMHSA's commitment to eliminating the use of seclusion and restraint. *Psychiatric Services*, 56, (9), 1139-1140.

DeBellis, M. (1999): Developing traumatology: Neurobiological development in maltreated children with PTSD. *Psychiatric Times*, 16 (9).

Donnelly, C. (2003): Pharmacologic treatment approaches for children and adolescents with posttraumatic stress disorder. Laor, N. and Wolmer, L. (guest editors): *Child and Adolescent Psychiatric Clinics of North America: Posttraumatic Stress Disorder*, 12 (2). Philadelphia: W.B. Saunders, 251-269.

DuBois, D., Neville, H., Parra, G., Pugh-Lilly, A. (2002): Testing a new model of mentoring. In Rhodes, J. (issue editor), A critical view of mentoring. *New Directions for Youth Development*, 93. San Francisco: Jossey-Bass.

Elliot, D. (1998): Blueprints for violence prevention (series editor). University of Colorado, Center for the Study and Prevention of Violence. Boulder, CO: Blueprints Publications. See also websites for specific programs.

Eth, S. (ed.), (2001): PTSD in children and adolescents. Washington DC: American Psychiatric Association Press.

Felitti, V., Anda, R., Nordenberg, D., Williamson, M., Spitz, A., Edwards, W., Koss, M., Marks, J. (1998): Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults: The Adverse Childhood Experiences (ACE) Study. *American Journal of Preventive Medicine* 14 (4), 245-258.

Flannery, D., Singer, M., Wester, K. (2001): Violence exposure, psychological trauma, and suicide risk in a community sample of dangerously violent adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 40 (4), 435-442. 71

Frank, J.D, and Frank, J.B. (1991): *Persuasion and healing: A comparative study of psychotherapy*. Baltimore: Johns Hopkins.

Garbarino, J. (1999): *Lost boys: Why our sons turn violent and how we can save them*. New York: Free Press.

Garbarino, J. and deLara, E. (2002): *And words can hurt forever: How to protect adolescents from bullying, harassment, and emotional violence*. New York: Free Press.

Gilligan, J. (2001). *Preventing violence*. New York: Thames and Hudson.

Glod, C. and Teicher, M. (1996): Relationship between early abuse, PTSD, and activity levels in prepubertal children. *Journal of the American Academy of Child and Adolescent Psychiatry*, 35 (10), 1384-1393.

Glover, R. (2005): Reducing the use of seclusion and restraint: A NASMHPD priority. *Psychiatric Services*, 56, (9), 1141-1142.

Goenjian, A., Stilwell, B., Steinberg, A., Fairbanks, L., Galvin, M., Karayan, I., Pynoos, R. (1999): Moral development and psychopathological interference in conscience functioning among adolescents after trauma. *Journal of the American Academy of Child and Adolescent Psychiatry*, 38 (4), 376-384.

Goleman, D. (1995): *Emotional intelligence: Why it can matter more than IQ*. New York: Bantam Books.

Greenberg, M., Domitrovich, C., Bumberger, B. (2000): *Preventing mental disorders in school-age children: A review of the effectiveness of prevention programs – A CASSP discussion paper*. Harrisburg: Pennsylvania CASSP Training and Technical Assistance Institute.

Greene, R. (1998): *The explosive child: A new approach for understanding and parenting easily frustrated, “chronically inflexible” children*. New York: HarperCollins.

Greene, R. and Ablon, J. (2006): *Treating explosive kids: The Collaborative Problem-Solving Approach*. New York: Guilford Press.

Groves, B. (2002): *Children who see too much: Lessons from the Child Witness to Violence Project*. Boston: Beacon.

Hardenstine, B. (2001): *Leading the way toward a seclusion and restraint-free environment: Pennsylvania’s success story*. Harrisburg: Department of Public Welfare, Commonwealth of Pennsylvania.

- Harris, M. and Fallot, R. (issue editors) (2001): Using trauma theory to design service systems. *New Directions in Mental Services*, 89. San Francisco: Jossey-Bass. 72
- Harper, C., Pennell, J., Weil, M. (2002): Family Group Conferencing: Evaluation guidelines. Englewood, CO: American Humane Association.
- Hennessey, M., et al (2004): Trauma among girls in the juvenile justice system. Washington, DC: Juvenile Justice Working Group of the National Child Traumatic Stress Network, www.NCTSNet.org.
- Henggeler, S., Schoenwald, S., Borduin, C., Rowland, M., Cunningham, P. (1998): Multisystemic treatment of antisocial behavior in children and adolescents. New York: Guilford. See also Blueprints for Violence Prevention Model Program Website: <http://www.colorado.edu/cspv/blueprints/model/programs/MST.html>.
- Herman, J. (1992). Trauma and recovery: The aftermath of violence – from domestic abuse to political terror. New York: Basic Books.
- Hodas, G. (2001a): “Presuming the positive” as part of strengths based treatment in working with children and families, in Guidelines to best practice in child and adolescent mental health services. Harrisburg: PA Department of Public Welfare, 51-56.
- Hodas, G. (2001b): Working with children and adolescents who are defiant: Unconditional respect comes first, in Guidelines to best practice in child and adolescent mental health services. Harrisburg: PA Department of Public Welfare, 63-68.
- Hodas, G. (2003): Building relationships: The role of the direct care worker and the use of self in reducing seclusion and restraint. In Training curriculum for the reduction of seclusion and restraint. Alexandria, VA: NETI.
- Hodas, G. (2004a). Restraint and seclusion are therapeutic failures. *Residential Group Care Quarterly*, 1, Winter 2004, 11, 12-13.
- Hodas, G. (2004b): Strengths based treatment for juveniles. Presentation to staff working at Pennsylvania’s Youth Development and Youth Forestry Centers. Unpublished.
- Hodas, G. (2005): Empowering direct care workers who work with children and youth in institutional care. Harrisburg: Pennsylvania Office of Mental Health and Substance Abuse Services.
- Huckshorn, K. (2004): Reducing seclusion and restraint in mental health settings: Core strategies for prevention. *Journal of Psychosocial Nursing and Mental Health Services*, 42 (9), 22-33.
- Hughes, W. (2002): Replacing control with empowerment is a proven solution. *Networks*, Summer and Fall. Alexandria, VA: NTAC.

Isaacs, M. (1992): Violence: The impact of community violence on African American children and families. Arlington, VA: National Center for Education in Maternal and Child Health. 73

Isaacs-Shockley, M., Cross, T., Bazron, B., Dennis, K., Benjamin, M. (1996): Framework for a culturally competent system of care. In Stroul, B. (ed): Children's mental health: Creating systems of care in a changing society. Baltimore: Brookes, 23-39.

J

Joint Commission on Accreditation of Healthcare Organizations (JCAHO) (2003): Restraint and seclusion standards for behavioral health. 2003 Comprehensive Accreditation Manual for Behavioral Health Care.

Kaplan, S. and Pelcovitz, D. (issue editors) (1994): Child abuse. *Child and Adolescent Psychiatric Clinics of North America*, 3:4. Philadelphia: W.B. Saunders.

Kluft, R., Bloom, S., Kinzie, J. (2000): Treating traumatized patients and victims of violence. In Bell, C. (ed): Psychiatric aspects of violence: Issues in Prevention and treatment. *New Directions in Mental Health Services*, 86. San Francisco: Jossey-Bass, 79-102.

LeBel, J., Stromberg, N., Duckworth, K., Kerzner, J., Goldstein, R., Weeks, M., Harper, G.,

LaFlair, L., Sudders, M. (2004): Child and adolescent restraint reduction: A state initiative to promote strengths-based care. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43 (1), 37-45.

LeBel, J., and Goldstein, R. (2005): The economic cost of using restraint and the value added by restraint reduction or elimination. *Psychiatric Services*, 56, (9), 1109-1114.

Lewis, D. (1998): Guilty by reason of insanity: A psychiatrist explores the mind of killers. New York: Fawcett Columbine.

Lieberman, A. (2005): Child-parent psychotherapy with young children exposed to violence. Presentation at Institute 2 (Treating Traumatized Children, Adolescents, and Families), 2005 American Academy of Child and Adolescent Psychiatry, October 19, 2005.

Lindblad-Goldberg, M., Dore, M., Stern, L. (1998): Creating competence from chaos: A comprehensive guide to home-based services. New York: W.W. Norton.

Macy, R., Barry, S., Gil, N. (issue editors) (2003): Youth facing threat and terror: Supporting preparedness and resilience. *New Direction for Youth Development*, 98. San Francisco: Jossey-Bass.

Mahoney, K., Ford, J., Ko, S., Siegfried, C. (2004): Trauma-focused interventions for youth in the juvenile justice center. Washington, DC: Juvenile Justice Working Group of the

National Child Traumatic Stress Network, www.NCTSNet.org.

Masters, K. (2005): How to create and evaluate a seclusion and restraint prevention plan. *AACAP News*, 36 (3), 110-111. 74

Monahon C. (1993): Children and trauma: A guide for parents and professionals. San Francisco: Jossey-Bass.

National Association of State Mental Health Program Directors (NASMHPD) and National Technical Assistance Center for State Mental Health Planning (NTAC) (2004): The damaging consequences of violence and trauma: Facts, discussion points, and recommendations for the behavioral health system. Washington, D.C.: U.S. Department of Health and Human Services (HHS).

National Center for Injury Prevention and Control (2005): Child maltreatment: Overview www.cdc.gov/ncipc/factsheets/cmoverview.htm, and Child maltreatment: Prevention strategies, www.cdc.gov/ncipc/factsheets/cmpreventon.htm.

National Child Traumatic Stress Network: <http://www.NCTSNet.org>.

National Executive Training Institute (NETI) (2003): Training curriculum for the reduction of seclusion and restraint. Alexandria, VA: National Technical Assistance Center for State Mental Health Planning.

National Executive Training Institute (NETI) (Draft, 2004): Core intervention fidelity measures. Alexandria, VA: National Technical Assistance Center for State Mental Health Planning.

National Institute on Drug Abuse (NIDA) (1997): Preventing drug use among children and adolescents: A research-based guide. NIH Publication No. 02-4212.

National Institute of Mental Health (NIMH) (2001): Helping children and adolescents cope with violence and disasters. Washington, DC: Department of Health and Human Services, Public Health Service, National Institute of Health.

Nunno, M., Holden, M., et al (1998): Implementing and evaluating Therapeutic Crisis Intervention: A crisis prevention and management program. Ithaca: Family Life Development Center, Cornell University.

Nurse-Family Partnerships (NFP) (1998): Blueprints for Violence Prevention Model Program Website: <http://www.colorado.edu/cspv/blueprints/model/programs/NFP.html>.

Office of the Surgeon General (2001): The Surgeon General's Report on Children's Mental Health. Washington, D.C: Department of Health and Human Services.

Office of the Surgeon General (2001): Youth violence: A report of the Surgeon General. Washington, D.C: Department of Health and Human Services.

Pennell, J. and Burford, G. (1995): Family Group Decision Making Project: Implementation report, Volume I. St. Johns, Newfoundland: Memorial University of Newfoundland. 75

Perrin, S., Smith, P., Yule, W. (2000): Practitioner review: The assessment and treatment of Post-traumatic Stress Disorder in children and adolescents. *J. Clin. Psychol. Psychiat.*, 41, 277-289.

Perry, B., Pollard, R., Blakeley, T., Baker, W., Vigilante, D. (1995): Childhood trauma, the neurobiology of adaptation and use-dependent development of the brain: How 'states' becomes 'traits.' *Infant Mental Health Journal*, 16 (4): 271-291.

Perry, B. (2004): Understanding traumatized and maltreated children: The core concepts – Living and working with traumatized children. The ChildTrauma Academy, www.ChildTrauma.org.

Perry, B., Colwell, K., Schick, S. (2002): Child neglect, Encyclopedia of crime and punishment Vol. 1 (Levinson, D., ed). Sage Publications: Thousand Oaks. Available at The ChildTrauma Academy, www.ChildTrauma.org.

President's New Freedom Commission on Mental Health (2003): Achieving the promise: Transforming mental health care in America. Available at the following website: <http://www.mentalhealthcommission.gov/reports/FinalReport/FullReport.htm>

Prothrow-Stith, D. (1991): Deadly Consequences: How violence is destroying our teenage population and a plan to begin solving the problem. New York: HarperPerennial.

Pumariega, A. and Winters, N. (2003): The handbook of child and adolescent systems of care: The new community psychiatry. San Francisco: Jossey-Bass.

Pynoos, R. and Fairbanks, J. (National Center for Child Traumatic Stress Co-Directors) (2004): Children and trauma in America: A progress report of the National Child Traumatic Stress Network. Available at the following website: <http://www.NCTSN.org>.

Randall, J., Swenson, C., Henggeler, S. (1999): Neighborhood Solutions for neighborhood problems: An empirically based violence prevention program. *Health, Education, and Behavior*, 26, 806-820.

Rasmussen, A., Vythilingam, M., Morgan III, C. (2003): The neuroendocrinology of Posttraumatic Stress Disorder: New directions, in *CNS Spectrums: The International Journal of Neuropsychiatric Medicine*, 8 (9), 651-667.

Rivard, J., Bloom, S., McCorkle, D., Abramowitz, R. (2005): Preliminary results of a study examining the implementation and effects of a trauma recovery framework for youths in residential treatment. *Therapeutic Community: The International Journal for Therapeutic and Supportive Organizations*, 1-12. 76

Rivard, J. (2004): Initial findings of an evaluation of a trauma recovery framework in residential treatment. *Residential Group Care Quarterly*, 5, Winter 2004, 3-5.

Salinger, J.D. (1945): The catcher in the rye. Boston: Little, Brown, and Company.

Saxe, G., Ellis, H., Fogler, J. et al (2005): Comprehensive care for traumatized children: An open trial examines treatment using Trauma Systems Therapy. *Psychiatric Annals*, 35, 443-448.

Schwartz, E., and Perry, B. (1994): The post-traumatic response in children and adolescents. *Psychiatric Clinics of North America*, 12 (2), 311-326.

Smith, G., Davis, R., Bixler, E., Lin, H., Altemor, A., Altemor, R., Hardenstine, B., Kopchick, G. (2005): Pennsylvania State Hospital System's seclusion and restraint reduction program. *Psychiatric Services*, 56, 1115-1122.

Stein, B., Jaycox, L., Kataoka, S., Wong, M., Tu, W., Elliot, M., Fink, A.: (2003): A mental health intervention for schoolchildren exposed to violence: A randomized controlled trial. *Journal of the American Medical Association*, 290 (5), 603-611.
Substance Abuse and Mental Health Services Administration (SAMHSA): *SAMHSA News*: IX (2) 2001; IX (3) 2001; X (1) 2002; X (2) 2002; XI (1) 2003; XII (2) 2004.

Substance Abuse and Mental Health Services Administration (SAMHSA). See the website: www.mentalhealth.samhsa.gov/child/childhealth.asp

Terr, L. (1994): *Unchained memories: True stories of traumatic memories, lost and found*. New York: BasicBooks.

Torry, W., Rapp, C., Van Tosh, L., McNabb, C., Ralph, R. (2005): Recovery principles and evidence-based practice: Essential ingredients of service improvement. *Community Mental Health Journal*, 41 (1), 91-100.

Traumatic Events Screening Inventory – Self Report Revised (TESI-C/Self-Report Revised), www.NCTSNet.org.

Van der Kolk, B. (2003): The neurobiology of childhood trauma and abuse. Laor, N. and

Wolmer, L. (guest editors): *Child and Adolescent Psychiatric Clinics of North America: Posttraumatic Stress Disorder*, 12 (2). Philadelphia: W.B. Saunders, 293-317.

Wolpaw, J. and Ford, J. (2004): Assessing exposure to psychological and post-traumatic stress in the juvenile justice population. Washington, DC: Juvenile Justice Working Group of the National Child Traumatic Stress Network, www.NCTSNet.org.

Yehuda, R. and Davidson, J. (2000): *Clinician's manual on Posttraumatic Stress Disorder*. London: Science Press. 77